



DES-1008D

DES-1008D switch provides 8 auto-sensing 10/100Mbps ports in a palm-sized box. The switch allows mix and match of Ethernet and Fast Ethernet in full- and half-duplex modes.

8-Port 10/100Mbps Switch for SOHO

The DES-1008D is an unmanaged 10/100Mbps switch designed to enhance small workgroup performance while providing a high level of flexibility. Powerful yet easy to use, this device allows users to simply plug any port to either a 10Mbps or 100Mbps network to multiply bandwidths, boost response time and satisfy heavy load demands.

8 Auto-sensing 10/100Mbps Ports

The switch comes with 8 10/100Mbps ports, allowing a small workgroup to flexibly connect to Ethernet and Fast Ethernet and integrate. These intelligent ports detect the network speed and auto-negotiate between 10BASE-TX and 10BASE-T, as well as between full- and half-duplex.

Flow Control for Secure Transmission

All ports support 802.3x flow control. This function minimizes dropped packets by sending out collision signals when the port's receiving buffer is full. Flow control is available in the full-duplex mode.

Auto-negotiation of MDI/MDIX Cross Over

All ports support auto-negotiation of MDI/MDIX cross over. This eliminates the need for cross over cables or uplink ports. Any port can simply plug to a server, a hub or a switch, using the usual straight-through twisted-pair cable.

SOHO Plug-and-Play

With 8 plug-and-play ports, the switch is a perfect choice for the small workgroup to upgrade performance in a client/server environment. The ports can be connected to servers in full-duplex, or hubs in half-duplex.

Desktop Power

With low-cost connection per-port, the switch can also be set up for direct connection from the PCs. This relieves data bottleneck by giving each workstation a dedicated bandwidth on the network.

Key Features

- 8 10/100Mbps ports
- Per-port auto MDI/MDIX
- All ports support full/half-duplex, network speed auto-negotiation
- Per-port 802.3x flow control for protection against data loss
- Auto-learning of network configuration
- Secure store-and-forward switching scheme
- Auto-correction of reverse twisted-pair polarity
- Compact size

DES-1008D

Technical Specifications

10/100Mbps Unmanaged Switch

General

Standards

- IEEE 802.3 10BASE-T Ethernet
- IEEE 802.3u 100BASE-TX Fast Ethernet
- ANSI/IEEE 802.3 NWay auto-negotiation
- IEEE 802.3x Flow Control

Protocol

CSMA/CD

Data Transfer Rates

- Ethernet:
 - 10Mbps (half-duplex)
 - 20Mbps (full-duplex)
- Fast Ethernet:
 - 100Mbps (half-duplex)
 - 200Mbps (full-duplex)

Topology

Star

Network Cables

- 10BASE-T:
 - UTP Cat. 3, 4, 5 (100 m)
 - EIA/TIA-568 STP (100 m)
- 100BASE-TX:
 - UTP Cat. 5 (100 m)
 - EIA/TIA-5681 STP (100 m)

Number of Ports

10/100Mbps port x 8

Twisted-pair Rx Reverse Polarity

Auto-correction

LED Report

Per device:

- Power

Per port:

100Mbps Link/Activity, 10Mbps Link/Activity

Performance

Transmission Method

Store-and-forward

MAC Address Table

1K entries per device

MAC Address Learning

Automatic update

Buffer Memory

64KBytes per device

Packet Filtering Rates

- 10BASE-T: 14,880 pps per port (half-duplex)
- 100BASE-TX: 148,800 pps per port (half-duplex)

Packet Forwarding Rates

- 10BASE-T: 14,880 pps per port (half-duplex)
- 100BASE-TX: 148,800 pps per port (half-duplex)

Physical & Environmental

Power Input

- AC 9V/1A
- DC 7.5V/1A
- Switching 5V/1.2A

* Different Switch versions are packed with different power adapter

Power Consumption

2 watts

Operating Temperature

0° ~ 50° C

Storage Temperature

-10° ~ 70° C

Operating Humidity

10% ~ 90%

Storage Humidity

5% ~ 90%

Dimensions (W x D x H)

192 x 118 x 32 mm (7.5 x 4.5 x 1.2 inches)

Weight

301 grams

Emission (EMI)

- FCC Class B
- ICES-003 Class B
- CE Class B
- C-Tick Class B
- VCCI Class B

MTBF

116,186 hours

Safety

CUL
CSA International

* Different Switch versions come with different safety standards



ACN 052 202 838



D-Link Worldwide Offices

U.S.A
Canada
Europe, UK & Ireland
Germany
France
Netherlands
Belgium & Luxemburg
Switzerland
Sweden
Denmark
Norway
Finland
Italy
Spain
Portugal
Greece
Czech Republic
Hungary
Poland

TEL: 1-800-326-1688
TEL: 1-905-8295033
TEL: 44-20-8955-9000
TEL: 49-6196-77990
TEL: 33 1 30 23 86 88
TEL: 31-10-282-1445
TEL: 32(0)2 517 7111
TEL: 41 (0) 1 832 11 00
TEL: 46-(0)8564-61900
TEL: 45-43-969040
TEL: 47 99 300 100
TEL: 358-10 309 8840
TEL: 39-02-2900-0676
TEL: 34 93 409 0770
TEL: 351 21 8688493
TEL: 30 210 9914 512
TEL: 420 224 247 500
TEL: 36 (0) 1 461 30 00
TEL: 48 (0) 22 583 92 7

FAX: 1-866-743-4905
FAX: 1-905-8295223
FAX: 44-20-8955-9002
FAX: 49-6196-7799300
FAX: 33 1 30 23 86 89
FAX: 31-10-282-1331
FAX: 32(0)2 517 6500
FAX: 41 (0) 1 832 11 01
FAX: 46-(0)8564-61901
FAX: 45-43-424347
FAX: 47 22 30 95 80
FAX: 358-10 309 8841
FAX: 39-02-2900-1723
FAX: 34 93 491 0795
FAX: 30 210 9916902
FAX: 36 (0) 1 461 30 09
FAX: 48 (0) 22 583 92 76

Singapore
Australia
India
Middle East (Dubai)
Egypt
Turkey
Iran
Pakistan
Israel
Latin America
Brazil
South Africa
Russia
Japan
Korea
China
Taiwan
Headquarters

TEL: 65-6774-6233
TEL: 61-2-8899-1800
TEL: 91-22-2652 6696
TEL: 971-4-391-6480
TEL: 202-291-9035
TEL: 90-212-289-5659
TEL: 90-212-289-5659
TEL: 92-21-454-8158
TEL: 972-9-9715700
TEL: 56-2-5838-950
TEL: 55-11-2185-9300
TEL: 27-12-665-2165
TEL: 7-495-744-0099
TEL: 81-3-5781-0963
TEL: 82-2-890-5491
TEL: 86-10-58635800
TEL: 886-2-6600-0123
TEL: 886-2-6600-0123

FAX: 65-6774-63225
FAX: 61-2-8899-1868
FAX: 91-22-2652 8914
FAX: 971-4-390-8881
FAX: 202-291-9051
FAX: 90-212-289-7606
FAX: 90-212-289-7606
FAX: 92-21-453-5103
FAX: 972-9-9715601
FAX: 56-2-5838953
FAX: 55-11-2185-9322
FAX: 27-12-665-2186
FAX: 7-495-744-0099
FAX: 81-3-5781-0965
FAX: 82-2-890-549
FAX: 86-10-58635799
FAX: 886-2-6600-3939
FAX: 886-2-6600-9898